

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020165819".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 16:45
L2	1	"20020169976".pn. and discard\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 19:17
L3	1	"20020169976".pn. and manufactu\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 19:17
S1	2557	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 07:59
S2	1014	BIOS and message and feature and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/19 16:04
S4	652	S2 and @ad<"20010511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/19 16:09
S7	8	S4 and BIOS.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/19 16:11
S8	505	BIOS and boot\$4 and (authentica\$5 or authoriz\$4) and @ad<"20010512"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 08:19

EAST Search History

S9	1014	BIOS and message and feature and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 08:20
S10	652	S9 and @ad<"20010511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 08:20
S11	391	S8 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 08:20
S12	9	splicing near (content or data or message) and BIOS and @ad<"200105011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 14:59
S13	0	splicing near BIOS and @ad<"200105011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 14:59
S14	2	splicing same BIOS and @ad<"200105011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 14:59
S15	973	splicing and BIOS and @ad<"200105011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 14:59
S16	61	"5974473" "6463530" "6684326" "6584561" "6353885" "6275851" "6009524" "5859911" "5844986".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 15:03

EAST Search History

S17	24	S16 and BIOS and (update or upgrade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 15:15
S18	0	S16 and (splitting or splitting or splicing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 15:15
S19	4	S16 and run-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 15:26
S20	1	BIOS-executable adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 15:26
S21	1	BIOS-executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 15:26
S22	14	BIOS adj executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/20 15:26
S23	2	"6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 09:41
S24	2	"6584561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 09:43

EAST Search History

S25	2	"6769059".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 09:44
S26	2	"6684326".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 09:44
S27	2	"6009524".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 09:44
S28	2	"6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 07:59
S29	0	S28 and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:00
S30	2	"6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:48
S31	16	eras\$3 near bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:12
S32	2	"6081900".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:13

EAST Search History

S33	85	713/200.ccls. and @ad<"20010510" and @pd>"20041025"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:39
S34	7	S33 and BIOS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:39
S35	0	option\$4 near2 (control\$4 or configur\$3) near2 resource\$2 same BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 11:25
S36	68	(control\$4 or configur\$3) near2 resource\$2 same BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:30
S37	76	stored near2 digital adj signature and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:31
S38	538	713/193.ccls. and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:31
S39	98	S38 and digital adj signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:32
S40	23	S38 and digital adj signature with stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:32

EAST Search History

S41	2	"20020169976".pn. and message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:51
S42	1	"6463537".pn. and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:58
S43	4	(smart adj card or smartcard) with network near transmission and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:00
S44	11	(smart adj card or smartcard) with network near transmit\$4 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:14
S45	78	(smart adj card or smartcard) with transmit\$4 with network and @ad<"20010510" not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:15
S46	13	(smart adj card or smartcard) near2 transmit\$4 with network and @ad<"20010510" not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:01
S47	0	splic\$3 with BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:02
S48	122	eras\$3 with BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:02

EAST Search History

S49	34	eras\$3 near2 BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:24
S50	1	eras\$3 near2 (part or portion) near2 BIOS and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:03
S51	13	table near2 status near resource\$2 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:36
S52	1	"6463537".pn. and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 17:36
S53	2	"6584561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 09:48
S54	2	"6581159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 09:48
S55	2	"20010025312".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:44
S56	0	713/200.ccls. and @ad<"20010510" and @ad>"20050316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:44

EAST Search History

S57	0	"20020169976".pn. and default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 08:46
S58	0	"20020169976".pn. and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 08:46
S59	2	"20020169976".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 08:53
S60	2	"20020169976".pn. and receiv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 09:52
S61	2	"6463537".pn. and bios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:30
S62	1	"6463537".pn. and reboot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:34
S63	0	"6463537".pn. and dynamically near3 librar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:34
S64	1015	dynamically near3 librar\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:35

EAST Search History

S65	0	dynamically near3 librar\$3 same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:35
S66	63	dynamically near3 librar\$3 same (run-time) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:36
S67	147	dynamically near3 librar\$3 same (run-time or runtime) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:06
S68	176	dynamically near3 librar\$3 same (run-time or runtime or run adj time) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:09
S69	27	(dynamically near3 librar\$3 or dll) same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:16
S70	3	(dynamically near3 librar\$3 or dll) with bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:09
S71	537	(dynamically near3 librar\$3 or dll) same (run-time or runtime or run adj time) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:12
S72	353	(dynamically near3 librar\$3 or dll) with (run-time or runtime or run adj time) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:15

EAST Search History

S73	2	"20010008023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:13
S74	6	(receiv\$3 or transmit\$4 or send\$3) with (dynamically near3 librar\$3 or dll) with (run-time or runtime or run adj time) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:24
S75	185	reboot\$3 with bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:26
S76	0	(reboot\$3 or re-boot\$3) with bios and "6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:26
S77	1	(reboot\$3 or re-boot\$3) same bios and "6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:27
S78	1	(reboot\$3 or re-boot\$3) and "6463537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:28
S79	471	(reboot\$3 or re-boot\$3) with \$3initiali\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:29
S80	335	(reboot\$3 or re-boot\$3) same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 12:31

EAST Search History

S81	19	(reboot\$3 or re-boot\$3) with \$2initial\$5 same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:51
S82	3	(dynamic\$4 near2 library or dll) with bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:07
S83	2	"20010008023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:06
S84	393	(dynamic\$4 near2 library or dll) with (run-time or run adj time or runtime) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:09
S85	0	(dynamic\$4 near2 library or dll) with (run-time or run adj time or runtime) same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:09
S86	37	(dynamic\$4 near2 library or dll) same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:09
S87	3	(dynamic\$4 near2 library or dll) with bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:10
S88	331	dynamic\$4 near2 library near2 load\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:03

EAST Search History

S89	46	dynamic\$4 near2 library near2 load\$3 same (run-time or run adj time or runtime) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:03
S90	0	"6463537".pn. and (dll or dynamically or dynamic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:19
S91	2	"20030052906".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:19
S92	27	(dynamically near3 librar\$3 or dll) same bios and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:16
S93	7	S92 and intel.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:16
S94	2	"6704789".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:28
S95	1	"6463537".pn. and (oem or manufacturer or lessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 09:23
S96	1	"6463537".pn. and (vendor or equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 10:02

EAST Search History

S97	24	(phoenix or rsa).asn. and (preboot\$3 or pre-boot\$3 or pre adj boot\$3) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 10:13
S98	24	S97 and bios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 10:10
S99	1	S98 and bios same \$4boot\$3 same (authenticat\$3 or verif\$5 or authori\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 10:12
S100	21	S98 and (authenticat\$3 or verif\$3 or verification or authori\$4 or authorization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:17
S101	4	S97 and (authenticat\$3 or verif\$3 or verification or authori\$4 or authorization) same (oem or manufacturer or vendor or lessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:05
S102	1	"6598165".pn. and (oem or manufacturer or lessor or vendor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:05
S103	27	(bios or basic adj input) same (authenticat\$3 or verif\$3 or verification or authori\$4) same (manufacturer or oem or lessor or vendor) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:00
S104	2	"6725382".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:31

EAST Search History

S10 5	1	S104 and (lessor or manufacturer or oem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:31
S10 6	0	"6009524".pn. and (oem or lessor or manufacturer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 11:49
S10 7	0	manufacturer with personal adj use and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:00
S10 8	0	manufacturer with personal\$3 adj use and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:01
S10 9	0	(manufacturer or oem or lessor) with personal\$3 adj use and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:01
S11 0	43	lessor with (leas\$3 or rent\$3) same (computer or system) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:05
S11 1	3	lessor with (leas\$3 or rent\$3) same (computer or system) same (resourc\$3) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:03
S11 2	7813	(leas\$3 or rent\$3) same (computer or system) same resourc\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:05

EAST Search History

S11 3	3523	(leas\$3 or rent\$3) with (computer or system) with resourc\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:06
S11 4	10	(lessor\$3) with resourc\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:08
S11 5	3479	(rent\$3 or leas\$3) near3 resourc\$3 and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:08
S11 6	11	(rent\$3 or leas\$3) near3 resourc\$3 same (oem or manufacturer or lessor) and @ad<"20010510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:22
S11 7	0	"20020169976".pn. and additional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 17:23
S11 8	2	"20020169976".pn. and (processor or hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 14:22